

**Publication list for Satonori NOZAWA**

**1990**

- (1) Uchida, Y., A. Mizuno, S. Nozawa and Y. Fukui, Velocity split along the Rho Ophiuchi Streamer (North): Spinning Streamer as "Angular Momentum Drain" from Massive Cloud of Active Star-Formation, *Publ. Astron. Soc. Japan*, 42, 69-83, 1990.
- (2) Mizuno, A., Y. Fukui, T. Iwata, S. Nozawa and T. Takano, A Remarkable multilobe molecular outflow:  $\rho$  Ophiuch East, Associated with IRAS 16293-2422, *Astrophys. J.*, 356, 184-194, 1990.

**1991**

- (3) Nozawa, S., A. Mizuno, Y. Teshima, H. Ogawa and Y. Fukui, A study of  $^{13}\text{CO}$  cloud cores in Ophiuchus, *Astrophys. J. Suppl.*, 77, 647-675, 1991.

**1992**

- (4) Kawabata, K., Y. Fukui, H. Ogawa, A. Mizuno, M. Fujimoto, S. Nozawa, H. Nakane, H. Hoko and Ji Yang, Observations of Ozone Mixing Ratio by Nagoya 4 m Millimeterwave Telescope, *J. Geomag. Geoelectr.*, 44, 1085-1096, 1992.

**1994**

- (5) Brekke, A., S. Nozawa and T. Sparr, Studies of the E region neutral wind in the quiet auroral ionosphere, *J. Geophys. Res.*, 99, 8801-8825, 1994.
- (6) Dobashi, K., S. Nozawa, Y. Hayashi, F. Sato, and Y. Fukui, A Molecular cloud and a CO outflow associated with IRAS 22134+5834, *Astro. J.*, 107, 2148-2152, 1994.

**1995**

- (7) Sato, M., Y. Kamide, A.D. Richmond, A. Brekke, and S. Nozawa, Regional estimation of electric fields and currents in the polar ionosphere, *Geophys. Res. Lett.*, 22, 283-286, 1995.
- (8) Nozawa, S. and A. Brekke, Studies of the E region neutral wind in the disturbed auroral ionosphere, *J. Geophys. Res.*, 100, 14,717-14,734, 1995.
- (9) Dobashi, K., J.-P. Bernard, Y. Yonekura, S. Nozawa, S. Morimoto, P. Abraham, Y. Kumai, Y. Hayashi, and Y. Fukui,  $^{12}\text{CO}$  and  $^{13}\text{CO}$  Observations toward two Small Molecular Clouds with Luminous Protostellar Candidates, *Publ. Astron. Soc. Japan*, 47, 837-843, 1995.
- (10) Fujii, R., S. Nozawa, M. Sato, N. Matuura, T. Ono, A. Brekke, C. Hall and T. L. Hansen, Comparison of electron spectra calculated from EISCAT electron density profiles with those observed by DMSP satellites, *J. Geomag. Geoelectr.*, 47, 771-782, 1995.
- (11) Brekke, A., S. Nozawa and M. Sato, Samples of auroral E-region parameters derived from EISCAT experiments, *J. Geomag. Geoelectr.*, 47, 889-909, 1995.

**1997**

- (12) Nozawa, S., A. Brekke and R. Fujii, Studies of the E region neutral wind in the auroral ionosphere using two long-run data, *J. Geomag. Geoelectr.*, 49, 641-673, 1997.

**1998**

- (13) Fujii, R., S. Nozawa, N. Matuura, and A. Brekke, Study on neutral wind contribution to the electrodynamics in the polar ionosphere using EISCAT CP-1 data, *J. Geophys. Res.*, 103, 14,731-14739, 1998.

- (14) Nishino, M., S. Nozawa and J. A. Holtet, Daytime Ionospheric Absorption Features in the Polar Cap Associated with Poleward Drifting F-region Plasma Patches, *Earth Plan. Sci.*, *50*, 107-117, 1998.
- (15) Fujii, R., S. Nozawa, S.C. Buchert, N. Matuura, and A. Brekke, The motion of ions in the auroral ionosphere, *J. Geophys. Res.*, *103*, 20,685-20,695, 1998.

## 1999

- (16) Fujii, R., S. Nozawa, S. C. Buchert, N. Matuura, and A. Brekke, Statistical characteristics on electromagnetic energy transfer between the magnetosphere, the ionosphere, and the thermosphere, *J. Geophys. Res.*, *104*, 2357-2365, 1999.
- (17) Nozawa, S. and A. Brekke, Studies of the auroral E-region neutral wind through a solar cycle: Quiet days, *J. Geophys. Res.*, *104*, 45-66, 1999.
- (18) Nozawa, S. and A. Brekke, Seasonal variation of the auroral E-region neutral wind for different solar activities, *J. Atmos. Solar-Terr. Phys.*, *61*, 585-605, 1999.
- (19) Maeda, S., H Fujiwara, and S. Nozawa, Dayside neutral winds in high-latitude lower thermosphere during geomagnetically quiet summer days, *J. Geophys. Res.*, *104*, 19,871-19,879, 1999.
- (20) Ishii, M., S. Oyama, S. Nozawa, R. Fujii, E. Sagawa, S. Watari, and H. Shinagawa, Dynamics of Neutral Wind in the polar region observed with two Fabry-Perot Interferometers, *Earth Plan. Sci.*, *51*, 833-844, 1999.

## 2000

- (21) Kosch, M. J., M. Ishii, S. Nozawa, D. Rees, K. Cierpka, A. Kohsiek, K. Schlegel, R. Fujii, T. Hagfors, T. J. Fuller-Rowell, and C. Lathuillere, A comparison of thermospheric winds and temperatures from Fabry-Perot interferometer and EISCAT radar measurements with models, *Adv. Space Res.*, *26*, (6)979-(6)984, 2000.
- (22) Fujii, R., S. Nozawa, S. C. Buchert, and A. Brekke, Energy coupling between the magnetosphere, ionosphere and thermosphere, *Adv. Space Res.*, *25*, (1)213-(1)218, 2000.
- (23) Ogawa, Y., R. Fujii, S. C. Buchert, S. Nozawa, S. Watanabe, and A. P. van Eyken, Simultaneous EISCAT Svalbard and VHF radar observations of ion upflows at different aspect angles, *Geophys. Res. Lett.*, *27*, 81-84, 2000.
- (24) Endo, M., R. Fujii, Y. Ogawa, S. C. Buchert, S. Nozawa, S. Watanabe, and N. Yoshida, Ion outflow and inflow at the topside ionosphere observed by the EISCAT VHF radar, *Ann. Geophys.*, *18*, 170-181, 2000.
- (25) Hall, C., S. Nozawa, A. Manson and C. Meek, Determination of turbulent energy dissipation rate directly from MF-radar determined velocity, *Earth Plan. Sci.*, *52*, 137-141, 2000.
- (26) Yoshida, N., S. Watanabe, H. Fukunishi, T. Sakanoi, T. Abe, T. Mukai, H. Hayakawa, A. Matsuoka, Y. Kasahara, R. Fujii, S. Nozawa, Y. Ogawa, and M. Syrjasuo, Coordinated Akebono and EISCAT observations of suprathermal ion outflows in the nightside inverted-V region, *J. Atmos. Solar-Terr. Phys.*, *62*, 449-465 2000.
- (27) Nozawa, S. and A. Brekke, A case study of the auroral E region neutral wind on a quiet summer day: Comparison of three methods of the EISCAT UHF radar for deriving the E region wind, *Radio Science*, *35*, 845-863, 2000.
- (28) Cierpka, K., M. J. Kosch, S. Nozawa, K. Schlegel, A. Kohsiek, and T. Hagfors, Combined EISCAT and Fabry-Perot Interferometer Measurements of Ionospheric-Thermospheric coupling, *Phys. Chem. Earth*, *25*, 563-566, 2000.
- (29) Oyama, S., S. Nozawa, S. C. Buchert, M. Ishii, S. Watari, E. Sagawa, W. Kofman, J. Lilensten, and R. Fujii, Effects of atmospheric oscillations on the field-aligned ion motions in the polar F-region, *Ann. Geophys.*, *18*, 1154-1163, 2000.
- (30) Saito, S., F.R.E. Forme, S. C. Buchert, S. Nozawa and R. Fujii, Effects of a kappa distribution function of electrons on incoherent scatter spectra, *Ann. Geophys.*, *18*, 1216-1223, 2000.

## 2001

- (31) Saito, S., S. C. Buchert, S. Nozawa and R. Fujii, Observations of isotropic electron temperature in the turbulent E region, *Ann. Geophys.*, *19*, 11-15, 2001.
- (32) Oyama, S., M. Ishii, Y. Murayama, H. Shinagawa, S. Nozawa, S. C. Buchert, R. Fujii, W. Kofman, Generation of atmospheric gravity waves associated with auroral activity in the polar F-region, *J. Geophys. Res.*, *106*, 18543-18554, 2001.
- (33) Nagatsuma, T., S. Nozawa, S. C. Buchert, and R. Fujii, High latitude Pi3 pulsations observed by the EISCAT VHF radar, *Adv. Space Res.*, *28*(7), 1093-1096, 2001.
- (34) Oyama, S., H. Shinagawa, S. C. Buchert, R. Fujii, S. Nozawa, M. Ishii, Y. Murayama and W. Kofman, Effects of auroral arcs on the generation of gravity waves in the auroral F region, *Adv. Space Res.*, *27*(10), 1767-1772, 2001.
- (35) Nozawa, S., H.-L. Liu, A.D. Richmond, and R. Roble, Comparison of the auroral E region neutral winds derived with the European Incoherent Scatter radar and predicted by the National Center for Atmospheric Research Thermosphere-Ionosphere-Mesosphere-Electrodynamics general circulation model, *J. Geophys. Res.*, *106*, 24,691-24,700, 2001.

## 2002

- (36) Fujii, R, S. Oyama, S. C. Buchert, S. Nozawa, and N. Matuura, Field-aligned ion motions in the E and F regions, *J. Geophys. Res.*, *107*, 10.129/2001JA900148, SIA 1-1 - 1-10, 2002.
- (37) Nozawa, S. A. Brekke, A. Manson, C. Hall, C. Meek, K. Morise, S. Oyama, K. Dobashi, and R. Fujii, A comparison study of the auroral lower thermospheric neutral winds derived by the EISCAT UHF radar and Tromsø medium frequency radar, *J. Geophys. Res.*, *107*, 10.1029/2000JA007581, SIA 29-1 - SIA29-20, 2002.
- (38) Sugino, M., R. Fujii, S. Nozawa, S. C. Buchert, H. J. Opgenoorth, and A. Brekke, Relative contribution of the ionospheric conductivity and the electric field to the ionospheric current, *J. Geophys. Res.*, *107*, 10.1029/2001JA007545, SIA20-1 - 20-15, 2002.
- (39) Hall, C. M., S. Nozawa, C. E. Meek, and A. H. Manson, On the response of upper homosphere turbulence to solar and geomagnetic disturbances, *Earth Plan. Sci.*, *54*, 699-705, 2002.
- (40) Sugino, M., R. Fujii, S. Nozawa, T. Nagatsuma, S. C. Buchert, J. W. Gjerloev, and M. J. Kosch, Field-aligned currents and ionospheric parameters deduced from EISCAT radar measurements in the post-midnight sector, *Ann. Geophys.*, *20*, 1335-1348, 2002.
- (41) Danskin, D. W., A.V. Koustov, T. Ogawa, N. Nishitani, S. Nozawa, S. E. Milan, M. Lester, and D. Andre, On the factors controlling the power of F-region coherent echoes, *Ann. Geophys.*, *20*, 1385-1397, 2002.
- (42) Maeda, S., S. Nozawa, M. Sugino, H. Fujiwara and M. Suzuki, Ion and neutral temperature distributions in the dayside lower E-region observed by the EISCAT Tromsø and Svalbard radars, *Ann. Geophys.*, *20*, 1415-1427, 2002.
- (43) Koustov, A.V, D.W. Danskin, M. V. Uspensky, T. Ogawa, P. Janhunen, N. Nishitani, S. Nozawa, M. Lester, and S. Milan, Velocities of auroral coherent echoes at 12 and 144 MHz, *Ann. Geophys.*, *20*, 1647-1661, 2002.

## 2003

- (44) Uspensky, M., A. Koustov, P. Janhunen, R. Pellinen, D. Danskin, and S. Nozawa, STARE Velocities: Importance of Off-Orthogonality and Ion Motions, *Ann. Geophys.*, *21*, 729-743, 2003.
- (45) Shinagawa, H., S. Oyama, S. Nozawa, S. C. Buchert, R. Fujii, and M. Ishii, Thermospheric and ionospheric dynamics in the auroral region, *Adv. Space Res.*, *31*, 951-956, 2003.
- (46) Hall, C.M, S. Nozawa, C. E. Meek, A. H. Manson, and Yi Luo, Periodicities in energy dissipation rates in the auroral mesosphere / lower thermosphere, *Ann. Geophys.*, *21*, 787-796, 2003.

- (47) Nozawa, S., S. Imaida, A. Brekke, C Hall, A Manson, C. Meek, S. Oyama, K. Dobashi, and R. Fujii, The quasi 2-day wave observed in the polar mesosphere, *J. Geophys. Res.*, *108*, 10.1029/2002JD002440, ACL 3-1 – 3-12, 2003.
- (48) Ogawa, Y., R. Fujii, S. C. Buchert, S. Nozawa, and S. Ohtani, Simultaneous ESR and DMSP observations of ion upflow in the dayside polar ionosphere, *J. Geophys. Res.*, *108*, 10.1029/2002JA009590, SIA 1-1 - 1-10, 2003.
- (49) Wu, Q., T. K. Killeen, S. Nozawa, D. McEwen, W. Guo, and S. C. Solomon, Observations of mesospheric neutral wind 12-hour wave in the Northern Polar Cap, *J. Atm. Sol-Terr. Phys.*, *65*, 971-978, 2003.
- (50) Oyama, S., S. Nozawa, S. Maeda, Y. Murayama, R. Fujii, and H. Shinagawa, Field-aligned ion motions in the E-F transition region: 1. Mean characteristics, *J. Geophys. Res.*, *108*, 1334, doi:10.1029/2003JA009830, 2003.
- (51) Hall, C. M., T. Aso, A.H. Manson, C.E. Meek, S. Nozawa, and M. Tsutsumi, High latitude mesospheric mean winds: a comparison between Tromsø (69°N) and Svalbard (78°N), *J. Geophys. Res.*, *108*, doi:10.1029/2003JD003509, 2003.
- (52) Nozawa, S., H. Iwahashi, A. Brekke, C. Hall, C. Meek, A. Manson, S. Oyama, Y. Murayama and R. Fujii, The quasi 2-day wave observed in the polar mesosphere (2): Comparison of the characteristics observed at Tromsø and Poker-Flat, *J. Geophys. Res.*, *108*, 101029/2002JD003221, 2003.

## 2004

- (53) Manson, A. H., C.E. Meek, C.M. Hall, S. Nozawa, N.J. Mitchell, D. Pancheva, W. Singer, and P. Hoffmann, Mesopause dynamics from the Scandinavian triangle of radars within the PSMOS-DATAR project, *Ann. Geophys.*, *22*, 367-386, 2004.
- (54) Fujiwara, H., S. Maeda, M. Suzuki, S. Nozawa, and H. Fukunishi, Estimates of electromagnetic and turbulent energy dissipation rates under the existence of strong wind shears in the polar lower thermosphere from the EISCAT Svalbard radar observations, *J. Geophys. Res.*, *109*, A07306, doi:10.1029/2003JA010046, 2004.
- (55) Ogawa, T., S. Nozawa, M. Tsutsumi, N. F. Arnold, N. Nishitani, N. Sato, and A. S. Yukimatu, Arctic and Antarctic polar mesosphere summer echoes observed with oblique incidence HF radars: Analysis using simultaneous MF and VHF radar data, *Ann. Geophys.*, *22*, 4049-4059, 2004.
- (56) Portnyagin Y. I., T. V. Solovjova, N. A. Makarov, E. G. Merzlyakov, A. H. Manson, C. E. Meek, W. Hocking, N. Mitchell, D. Pancheva, P. Hoffmann, W. Singer, Y. Murayama, K. Igarashi, J. M. Forbes, S. Palo, C. Hall, S. Nozawa, Monthly mean climatology of the prevailing winds and tides in the Arctic mesosphere/lower thermosphere, *Ann. Geophys.*, *22*, 3395-3410, 2004.

## 2005

- (57) Hall, C. M., T. Aso, M. Tsutsumi, S. Nozawa, A.H. Manson, and C.E. Meek, Testing the hypothesis of neutral turbulence on the deduction of ambipolar diffusivities from meteor trail expansion, *Ann. Geophys. Letter*, *23*, 1071-1073, 2005.
- (58) Oyama, S., B. J. Watkins, S. Nozawa, S. Maeda, and M. Conde, Vertical ion motions observed with incoherent-scatter radars in the polar lower ionosphere, *J. Geophys. Res.*, *110*, A04302, doi:10.1029/2004JA010705., 2005.
- (59) Hall, C.M., T. Aso, M. Tsutsumi, S. Nozawa, A.H. Manson and C.E. Meek, A comparison of MLT neutral winds as determined by meteor and medium frequency radar at 70°N, *Radio Sci.*, *40*, RS4001, doi:10.1029/2004RS003102, 2005.
- (60) Maeda, S., S. Nozawa, H. Fujiwara, and Y. Ogawa, Comparative study of the high-latitude E-region ion and neutral temperatures in the polar cap and the auroral region derived from the EISCAT radar observations, *J. Geophys. Res.*, *110*, A08301, 10.1029/2004JA010893, 2005.

- (61) Nozawa, S., A. Brekke, S. Maeda, T. Aso, C. Hall, Y. Ogawa, S. Buchert, J. Roettger, A. Richmond, R. Roble, and R. Fujii, Mean winds, tides and quasi-2 day wave in the polar lower thermosphere observed in EISCAT eight day run data in November 2003, *J. Geophys. Res.*, 110, A12309, doi:10.1029/2005JA0011128, 2005.
- (62) Zhigang, Y., R. Fujii, S. Nozawa, Y. Ogawa, Statistical height-dependent relative importance of the Lorentz force and Joule heating in generating atmospheric gravity waves in the auroral electrojets, *J. Geophys. Res.*, 110, A12303, doi:10.1029/2005JA011315, 2005.

## 2006

- (63) Hall, C.M., T. Aso, M. Tsutsumi, S. Nozawa, C.E. Meek and A.H. Manson, A comparison of meteor and medium frequency radar kilometer scale MLT dynamics at 70°N, *J. Atm. Sol-Terr. Phys.*, 68, 309-316, 2006.
- (64) Hall, C., S. Nozawa, A. Manson, C. Meek, Tidal signatures in mesospheric turbulence, *Ann. Geophys.*, 24, 453-465, 2006.
- (65) Abe, T., J. Kurihara, N. Iwagami, S. Nozawa, Y. Ogawa, R. Fujii, H. Hayakawa, and K. Oyama, Dynamics and energetics in the lower thermosphere in aurora (DELTA) – Japanese sounding rocket campaign, *Earth Plan. Sci.*, 58, 1161-1171, 2006.
- (66) Nozawa, S., Y. Ogawa, A. Brekke, T. Tsuda, C. M. Hall, H. Miyaoka, J. Kurihara, T. Abe, and R. Fujii, EISCAT observational results during the DELTA campaign, *Earth Plan. Sci.*, 58, 1183-1192, 2006.
- (67) Uspensky, M. V., A. V. Koustov, and S. Nozawa, STARE velocity at large flow angles: is it related to the ion acoustic speed?, *Ann. Geophys.*, 24, 873-885, 2006
- (68) Hall, C. M., A. H. Manson, C. E. Meek, and S. Nozawa, Isolated lower mesospheric echoes seen by medium frequency radar at 70°N, 19°E, *Atmos. Chem. Phys.*, 6, 5307-5314, 2006.
- (69) Ogawa, Y., S.C. Buchert, R. Fujii, S. Nozawa, and F. Forme, Naturally enhanced ion-acoustic lines at high altitudes, *Ann. Geophysicae*, 24, 3351-3364, 2006.

## 2007

- (70) Tsuda, T. T., S. Nozawa, A. Brekke, Y. Ogawa, T. Motoba, R. Roble, and R. Fujii, An ion drag contribution to the lower thermospheric wind in the summer polar region, *J. Geophys. Res.*, 112, A06319, doi:10.1029/2006JA011785, 2007.
- (71) Hall, C.M., A. Brekke, A. H. Manson, C. E. Meek, S. Nozawa, Trends in mesospheric turbulence at 70°N, *Atmospheric Science Letters*, 8, 80-84, 2007.
- (72) Fujiwara, H., R. Kataoka, M. Suzuki, S. Maeda, S. Nozawa, K. Hosokawa, H. Fukunishi, N. Sato, and M. Lester, Electromagnetic energy deposition rate in the polar upper thermosphere derived from the EISCAT Svalbard radar and CUTLASS Finland radar observations, *Annales Geophys.*, 25, 2393-2403, 2007.
- (73) Hall, CM., A. H. Manson, C. E. Meek, and S. Nozawa, Mesospheric turbulence during PMWE-conducive conditions, *Atmos. Chem. Phys. Discuss.*, 7, 7035-7049, 2007

## 2008

- (74) Ogawa, Y., K. Seki, M. Hirahara, K. Asamura, T. Sakanoi, S. C. Buchert, Y. Ebihara, Y. Obuchi, A. Yamazaki, I. Sandahl, S. Nozawa, and R. Fujii, Coordinated EISCAT Svalbard radar and Reimei satellite observations of ion upflows and suprathermal ions, *J. Geophys. Res.*, 113, doi:10.1029/2007JA012791, 2008.
- (75) Hall, C., C. Meek, A. Manson, S. Nozawa, Turbopause determination, climatology and climatic trends, using medium frequency radars at 52° and 70°N, *J. Geophys. Res.*, 113, D13104, doi:10.1029/2008JD009938, 2008.

- (76) Oyama, S., B. J. Watkins, S. Maeda, H. Shinagawa, S. Nozawa, Y. Ogawa, A. Brekke, C. Lathuillere, and W. Kofman, Generation of the lower-thermospheric vertical wind estimated with the EISCAT KST radar at high latitudes during periods of moderate geomagnetic disturbance, *Ann. Geophys.*, *26*, 1491-1505, 2008.
- (77) Buchert, S., T. Tsuda, R. Fujii, and S. Nozawa, The Pedersen current carried by electrons: A non-linear response of the ionosphere to magnetospheric forcing, *Ann. Geophys.*, *26*, 2837-2844, 2008.

## 2009

- (78) Tsuda, T. T., S. Nozawa, S. Oyama, T. Motoba, Y. Ogawa, H. Shinagawa, N. Nishitani, K. Hosokawa, N. Sato, M. Lester, and R. Fujii, Acceleration mechanism of high-speed neutral wind observed in the polar lower thermosphere, *J. Geophys. Res.*, *114*, doi:10.1029/2008JA013867, 2009.
- (79) Ogawa, Y. S. C. Buchert, R. Fujii, S. Nozawa, and A. P. van Eyken, Characteristics of ion upflow and downflow observed with EISCAT Svalbard radar, *J. Geophys. Res.*, *114*, A05305, doi:10.1029/2008JA013817, 2009.
- (80) Oyama, S., T. T. Tsuda, T. Sakanoi, Y. Obuchi, K. Asamura, M. Hirahara, A. Yamazaki, Y. Kasaba, R. Fujii, S. Nozawa, and B. J. Watkins, Spatial evolution of frictional heating and the predicted thermospheric wind effects in the vicinity of an auroral arc measured with the Sondrestrom incoherent-scatter radar and the Reimei satellite, *J. Geophys. Res.*, *114*, A07311, doi:10.1029/2009JA014091, 2009.
- (81) Fujii, R., Y. Iwata, S. Oyama, S. Nozawa, and Y. Ogawa, Relations between proton auroras, intense electric field and ionospheric electron density depletion, *J. Geophys. Res.*, *114*, A09304, doi:10.1029/2009JA014319, 2009.
- (82) Maeda, S, Y. Ogawa, K. Hosokawa, S. Nozawa, S. Oyama, T. Tsuda, and A. Brekke, Ion heating in high-speed flow channel within the duskside cell of the polar-cap ion convection under large IMF-By condition, *J. Geophys. Res.*, *114*, A11307, doi:10.1029/2009JA014300, 2009.
- (83) Kurihara, J., S. Oyama, S. Nozawa, T. Tsuda, R. Fujii, Y. Ogawa, H. Miyaoka, N. Iwagami, T. Abe, K.-I. Oyama, M. Kosch, A.L. Aruliah, E. Griffin, and K. Kauristie, Temperature enhancements and vertical winds in the lower thermosphere associated with auroral heating during the Dynamics and Energetics of the Lower Thermosphere in Aurora (DELTA) campaign, *J. Geophys. Res.*, *114*, A12306, doi:10.1029/2009JA014392, 2009.
- (84) Ogawa, Y., I. Häggström, S. C. Buchert, K. Oksavik, S. Nozawa, M. Hirahara, A. P. van Eyken, T. Aso, and R. Fujii, On the source of the polar wind in the polar topside ionosphere: First results from the EISCAT Svalbard radar, *Geophys. Res. Lett.*, *36*, L24103, doi:10.1029/2009GL041501, 2009.

## 2010

- (85) Ogawa, Y., S. C. Buchert, A. Sakurai, S. Nozawa, R. Fujii, Solar activity dependence of ion upflow in the polar ionosphere observed with the EISCAT Tromsø UHF radar, *J. Geophys. Res.*, *115*, doi:10.1029/2009JA014766, 2010.
- (86) Nozawa, S., Y. Ogawa, S. Oyama, H. Fujiwara, T. Tsuda, A. Brekke, C. Hall, Y. Murayama, S. Kawamura, H. Miyaoka, and R. Fujii, Tidal waves in the polar lower thermosphere using the EISCAT long run data set obtained in September 2005, *J. Geophys. Res.*, *115*, A08312, doi:10.1029/2009JA015237, 2010.
- (87) Kurihara, J., Y. Ogawa, S. Oyama, S. Nozawa, M. Tsutsumi, C. M. Hall, Y. Tomikawa, and R. Fujii, Links between a stratospheric sudden warming and thermal structures and dynamics in the high-latitude mesosphere, lower thermosphere, and ionosphere, *Geophys. Res. Lett.*, *37*, L13806, doi:10.1029/2010GL043643, 2010.
- (88) Kurihara, J., Y. Koizumi-Kurihara, N. Iwagami, T. Suzuki, A. Kumamoto, T. Ono, M. Nakamura, M. Ishii, A. Matsuoka, K. Ishisaka, T. Abe, and S. Nozawa, Horizontal structure of sporadic E layer observed with a rocket-borne magnesium ion imager, *J. Geophys. Res.*, *115*, A12318, doi:10.1029/2009JA014926, 2010.

- (89) Oyama, S., K. Shiokawa, J. Kurihara, T. T. Tsuda, S. Nozawa, Y. Ogawa, Y. Otsuka, and B. J. Watkins, Lower-thermospheric wind fluctuations measured with an FPI in pulsating aurora at Tromsø, Norway, *Ann. Geophys.*, *28*, 1847-1857, 2010.
- (90) Kosch, M., Y. Ogawa, M. Rietveld, S. Nozawa, and R. Fujii, An analysis of pump-induced artificial ionospheric ion upwelling at EISCAT, *J. Geophys. Res.*, *115*, A12317, doi:10.1029/2010JA015854, 2011.

## 2011

- (91) Ogawa, Y., S. C. Buchert, I. Häggström, M. T. Rietveld, R. Fujii, S. Nozawa, and H. Miyaoka, On the statistical relation between ion upflow and naturally enhanced ion-acoustic lines observed with the EISCAT Svalbard radar, *J. Geophys. Res.*, *116*, doi:10.1029/2010JA015827, 2011.
- (92) Kosch, M., E. Mjølhus, M. Ashrafi, M. Rietveld, T. Yeoman, and S. Nozawa, Angular dependence of pump-induced bottom- and top-side ionospheric plasma turbulence at EISCAT, *J. Geophys. Res.*, *116*, A03322, doi:10.1029/2010JA016014, 2011.
- (93) Kosch, M., Ho-C. I. Yiu, C. Anderson, T. Tsuda, Y. Ogawa, S. Nozawa, A. Aruliah, V. Howells, L. Baddeley, I. McCrea, J. Wild, Meso-scale observations of Joule heating near an auroral arc and ion-neutral collision frequency in the polar cap E-region, *J. Geophys. Res.*, *116*, A05321, doi:10.1029/2010JA016015, 2011.
- (94) Tsuda, T. T., S. Nozawa, T. D. Kawahara, T. Kawabata, N. Saito, S. Wada, C. M. Hall, S. Oyama, Y. Ogawa, S. Suzuki, T. Ogawa, T. Takahashi, H. Fujiwara, R. Fujii, N. Matuura, and A. Brekke, Fine structure of sporadic sodium layer observed with a sodium lidar at Tromsø, Norway, *Geophys. Res. Lett.*, *38*, L18102, doi:10.1029/2011GL048685, 2011.

## 2012

- (95) Fujiwara, H., S. Nozawa, S. Maeda, Y. Ogawa, Y. Miyoshi, H. Jin, H. Shinagawa, and K. Terada, Polar cap thermosphere and ionosphere during the solar minimum period: EISCAT Svalbard radar observations and GCM simulations, *Earth Plan. Space*, *64*, 459-465, 2012.
- (96) Gorin, J. D., A. V. Koustov, R. A. Makarevich, J.-P. St.-Maurice, and S. Nozawa, Velocity of E-region HF echoes under strongly-driven electrojet conditions, *Ann. Geophys.*, *30*, 235-250, 2012.
- (97) Shiokawa, K., Y. Otsuka, S. Oyama, S. Nozawa, M. Satoh, Y. Katoh, Y. Hamaguchi, Y. Yamamoto and J. Meriwether, Development of low-cost sky-scanning Fabry-Perot interferometers for airglow and auroral studies, *Earth Plan. Space*, *64*, 1033-1046, 2012.
- (98) Nozawa, S., C.M. Hall, M. Tsutsumi, A. Brekke, Y. Ogawa, T. T. Tsuda, S. Oyama, R. Fujii, Mean winds, tides, and quasi-2 day waves above Bear Island, *J. Atmos. Solar-Terr. Phys.*, *90-91*, 26-44, 2012.
- (99) Shiokawa, K., M. Mori, Y. Otsuka, S. Oyama, and S. Nozawa, Motion of high-latitude nighttime medium-scale traveling ionospheric disturbances associated with auroral brightening, *J. Geophys. Res.*, *117*, A10316, doi:10.1029/2012JA017928, 2012.

## 2013

- (100) Shiokawa, K., M. Mori, Y. Otsuka, S. Oyama, S. Nozawa, S. Suzuki, and M. Connors, Observation of nighttime medium-scale travelling ionospheric disturbances by two 630-nm airglow imagers near the auroral zone, *J. Atmos. Solar-Terr. Phys.*, *103*, 184-194, 2013.
- (101) Matuura, N., T. Tsuda, and S. Nozawa, Field-Aligned Current Loop Model on Formation of Sporadic Metal Layers, *J. Geophys. Res.*, *118*, doi:10.1002/jgra.50414, 2013.
- (102) Tsuda, T., S. Nozawa, T. D. Kawahara, T. Kawabata, N. Saito, S. Wada, Y. Ogawa, S. Oyama, C. M. Hall, M. Tsutsumi, M. K. Ejiri, S. Suzuki, T. Takahashi, T. Nakamura, Decrease in sodium density observed during auroral particle precipitation over Tromsø, Norway, *Geophys. Res. Lett.*, *40*, 4486-4490, DOI: 10.1002/grl.50897, 2013.

- (103) Ogawa, Y., M. Sawatsubashi, S. C. Buchert, K. Hosokawa, S. Taguchi, S. Nozawa, S. Oyama, T. T. Tsuda, and R. Fujii, Relationship between auroral substorm and ion upflow in the nightside polar ionosphere, *J. Geophys. Res.*, *118*, 7426-7437, DOI: 10.1002/2013JA018965, 2013.
- (104) Oyama, S., T. Watanabe, R. Fujii, S. Nozawa, and T. T. Tsuda, Estimation of the layered ionospheric conductance using data from a multi-wavelength photometer at the European Incoherent Scatter (EISCAT) radar site, *Antarctic Record*, *57*(3), 339-356, 2013.

## 2014

- (105) Nozawa, S., T. D. Kawahara, N. Saito, C. M. Hall, T. T. Tsuda, T. Kawabata, S. Wada, A. Brekke, T. Takahashi, H. Fujiwara, Y. Ogawa, and R. Fujii, Variations of the neutral temperature and sodium density between 80 and 107 km above Tromsø during the winter of 2010-2011 by a new solid state sodium LIDAR, *J. Geophys. Res.*, *119*, doi:10.1002/2013JA019520, 441-451, 2014.
- (106) Fujiwara, H., S. Nozawa, Y. Ogawa, R. Kataoka, Y. Miyoshi, H. Jin, and H. Shinagawa, Extreme ion heating in the dayside ionosphere in response to arrival of a coronal mass ejection on March 12, 2012, *Ann. Geophys.*, *32*, 831-839, 2014.
- (107) Ogawa, Y., T. Motoba, S. C. Buchert, I. Häggström, and S. Nozawa, Upper Atmosphere cooling over the past 33 years, *Geophys. Res. Lett.*, *41*, 5629-5635, doi:10.1002/2014GL060591, 2014.
- (108) Shiokawa, K., A. Hashimoto, T. Hori, K. Sakaguchi, Y. Ogawa, E. Donovan, E. Spanswick, M. Connors, Y. Otsuka, S.-I. Oyama, S. Nozawa, K. McWilliams, Auroral fragmentation into patches, *J. Geophys. Res.*, *119*, 8249-8261, doi:10.1029/2014JA020050, 2014.
- (109) Takahashi, T., S. Nozawa, M. Tsutsumi, C. Hall, S. Suzuki, T. T. Tsuda, T. D. Kawahara, N. Saito, S. Oyama, S. Wada, T. Kawabata, H. Fujiwara, A. Brekke, A. Manson, C. Meek, and R. Fujii, A case study of gravity wave dissipation in the polar MLT region using sodium LIDAR and radar data, *Ann. Geophys.*, *32*, 1195-1205, 2014.

## 2015

- (110) Wu, Q., and S. Nozawa, Mesospheric and thermospheric observations of the January 2010 stratospheric warming event, *J. Atmos. Solar-Terr. Phys.*, *123*, 22-38, 2015.
- (111) Takahashi, T., S. Nozawa, T. T. Tsuda, Y. Ogawa, N. Saito, T. Hidemori, T. D. Kawahara, C. Hall, H. Fujiwara, N. Matuura, A. Brekke, M. Tsutsumi, S. Wada, T. Kawabata, S. Oyama, and R. Fujii, A case study on generation mechanisms of a sporadic sodium layer above Tromsø (69.6°N) during a night of high auroral activity, *Ann. Geophys.*, *33*, 941-953, 2015.
- (112) Hashimoto A., K. Shiokawa, Y. Otsuka, S.-I. Oyama, S. Nozawa, T. Hori, M. Lester, and M. Johnsen, Statistical study of auroral fragmentation into patches, *J. Geophys. Res.*, *120*, 6207-6217, doi.org:10.1002/2015JA021000, 2015.
- (113) Tsuda, T. T., S. Nozawa, T. D. Kawahara, T. Kawabata, N. Saito, S. Wada, C. M. Hall, M. Tsutsumi, Y. Ogawa, S. Oyama, T. Takahashi, M. K. Ejiri, T. Nishiyama, T. Nakamura, and A. Brekke, A sporadic sodium layer event detected with five-directional lidar and simultaneous wind, electron density, and electric field observation at Tromsø, Norway, *Geophys. Res. Lett.*, *42*, 9190-9196, 2015GL066411, 2015.

## 2016

- (114) Hall, C. M., S. E. Holmen, C. E. Meek, A. H. Manson, and S. Nozawa, Change in turbopause altitude at 52 and 70 deg N, *Atmos. Chem. Phys.*, *16*, 2299-2308, doi:10.5194/acp-16-2299-2016, 2016.
- (115) Tsuda, T., M. Yamamoto, H. Hashiguchi, K. Shiokawa, Y. Ogawa, S. Nozawa, H. Miyaoka, and A. Yoshikawa, A proposal on the study of solar-terrestrial coupling processes with atmospheric radars and ground-based observation network, *Radio Sci.*, *51*, 9, 1587-1599, doi:10.1002/2016RS006035, 2016. 18 July 2016



## 2017

- (116) Takahashi, T., K. Hosokawa, S. Nozawa, T. Tsuda, Y. Ogawa, M. Tsutsumi, Y. Hiraki, H. Fujiwara, T. Kawahara, N. Saito, S. Wada, T. Kawabata, C. Hall, Depletion of mesospheric sodium during extended period of pulsating aurora, *J. Geophys. Res.*, *122*, 1212-1220, 2017.
- (117) Kawahara, T.D., S. Nozawa, N. Saito, T. Kawabata, T.T. Tsuda, and S. Wada, Sodium temperature/wind LIDAR based on laser-diode-pumped Nd:Yag lasers deployed at Tromsø, Norway (69.6°, 19.2°), *Optics Express*, *25*, A491-A501, 2017.
- (118) Nakamura, Y., K. Shiokawa, Y. Otsuka, S.-I. Oyama, S. Nozawa, T. Komolmis, S. Komonjida, D. Neudegg, C. Yuile, J. Meriwether, H. Shinagawa, and H. Jin, Measurement of thermospheric temperatures using OMTI Fabry-Perot interferometers with 70 mm etalon, *Earth, Plan. and Space*, *69*, doi: 10.1186, 25, A491-A501, 2017.
- (119) Adachi, K., S. Nozawa, Y. Ogawa, A. Brekke, C. M. Hall, R. Fujii, Evaluation of a method to derive ionospheric conductivities using two auroral emissions (428 and 630 nm) measured with a photometer at Tromsø (69.6°N), *Earth, Planets and Space*, *69*: 90. doi:10.1186/s40623-017-0677-4, 2017.

## 2018

- (120) Tsuda, T.T., M. T. Rietveld, M. J. Kosch, S. Oyama, K. Hosokawa, S. Nozawa, T. Kawabata, A. Mizuno, and Y. Ogawa, Survey of conditions for artificial aurora experiments at EISCAT Tromsø using dynasonde data, *Earth Planets Space*, *70*:40, doi:10.1186/s40623-018-0805-9, 2018. (March)
- (121) Tsuda, T.T., M.T. Rietveld, M.J. Kosch, S. Oyama, Y. Ogawa, K. Hosokawa, S. Nozawa, T. Kawabata, and A. Mizuno, Survey of conditions for artificial aurora experiments by the second electron gyro-harmonic at EISCAT Tromsø using dynasonde data, *Earth, Planets and Space*, *70*:94, <https://doi.org/10.1186/s40623-018-0864-y>, 2018.
- (122) Nozawa, S., T. Kawabata, K. Hosokawa, Y. Ogawa, T. Tsuda, A. Mizuno, R. Fujii, and C. Hall, A new five-wavelength photometer operated in Tromsø (69.6°N, 19.2°E), *Earth, Planets and Space*, 10.1186/s40623-018-0962-x, *70*:193, 2018. (Dec 11, 2018)

## 2019

- (123) Mondal, S., S. Sarkhel, J. Agarwa, D. Chakrabarty, R. Sekar, T. Yuan, X. Cai, A. Lu, S. Nozawa, N. Saito, T. Kawahara, M. Mlynczak, J. Russell, III, On the long-lasting "C-type" structures in the sodium lidargram: The lifetime of Kelvin-Helmholtz billows in the mesosphere and lower thermosphere region", *Journal of Geophysical Research - Space Physics.*, 10.1029/2019JA026630, 2019.
- (124) Yamamoto, M., W. K. Hocking, S. Nozawa, J. Vierinen, H. Liu, and N. Nishitani, <https://doi.org/10.1186/s40623-019-1070-2>, Special issue "Recent Advances in MST and EISCAT/Ionospheric Studies – Special Issue of the Joint MST15 and EISCAT18 Meetings, May 2017", *Earth, Planets and Space*, *71*:99, 2019
- (125) Xu, H., K. Shiokawa, S. Oyama, and S. Nozawa, High-latitude thermospheric wind study using a Fabry-Perot interferometer at Tromsø in Norway: averages and variations during quiet times, *Earth, Planets and Space*, *71*:110, 10.1186/s40623-019-1093-8, 2019.

## 2020

- (126) Ogawa, Y., Y. Tanaka, A. Kadokura, K. Hosokawa, Y. Ebihara, T. Motoba, B. Gustavsson, U. Brandstrom, Y. Sato, S. Oyama, M. Ozaki, T. Raita, F. Sigernes, S. Nozawa, K. Shiokawa, M. Kosch, K. Kauristie, C. Hall, S. Suzuki, Y. Miyoshi, A. Gerrard, H. Miyaoka, and R. Fujii, Development of low-cost multi-wavelength imager system for studies of aurora and airglow, *Polar Science*, *23*, 100501, <https://doi.org/10.1016/j.polar.2019.100501>, 2020.

- (127) Pancheva, D., P. Mukhtarov, C. Hall, C. Meek, M. Tsutsumi, N. Pedatella, S. Nozawa, and A. Manson, Climatology of the main (24-h and 12-h) tides observed by meteor radars at Svalbard and Tromsø: Comparison with the Models CMAM-DAS and WACCM-X, *JASTP*, 207, <https://doi.org/10.1016/j.jastp.2020.105339>, 2020
- (128) Kawamura, Y., K. Hosokawa, S. Nozawa, Y. Ogawa, T. Kawabata, S. Oyama, Y. Miyoshi, S. Kurita, and R. Fujii, Estimation of the emission altitude of pulsating aurora using the five-wavelength photometer, *Earth, Planets and Space*, 72:96, 10.1186/s40623-020-01229-8, 2020.
- (129) Iino, T., H. Sagawa, T. Tsukagoshi, and S. Nozawa, A belt-like distribution of gaseous hydrogen cyanide on Neptune's equatorial stratosphere detected by ALMA, *Astrophysical Journal Letters*, doi: 10.3847/2041-8213/abbb9a, 2020.
- (130) Tsuda, T. T., C. Li, S. Hamada, K. Hosokawa, S. Oyama, S. Nozawa, T. Kawabata, A. Mizuno, J. Kurihara, T. Nishiyama, and M. J. Kosch, OI 630.0 nm and N<sub>2</sub> 1PG emissions in pulsating aurora events observed by an optical spectrograph at Tromsø, Norway", *JGR*, 125, <https://doi.org/10.1029/2020JA028250>, 2020
- (131) Xia, Y., S. Nozawa, J. Jiao, J. Wang, F. Li, X. Cheng, Y. Yang, L. Du, and G. Yang, Statistical study on sporadic sodium layers (SSLs) based on diurnal sodium lidar observations at Beijing, China (40.5 °N, 116 °E), *JASTP*, <https://doi.org/10.1016/j.jastp.2020.105512>, 2020.

## 2021

- (132) Narayanan, V. L., S. Nozawa, S. Oyama, I. Mann, K. Shiokawa, Y. Otsuka, N. Saito, S. Wada, T. D. Kawahara, and T. Takahashi, Formation of a bottomside secondary sodium layer associated with the passage of multiple mesospheric frontal systems, *Atm. Chem. Phys.*, 21, 2343-2361, <https://acp.copernicus.org/articles/21/2343/2021/>, 2021
- (133) Hall, C.M., and S. Nozawa, On the temporal evolution of turbopause altitude, 1996-2021, 70°N, 19°E, Experimental Results, *Experimental Results* (2021), 2, e17, 1–7, doi:10.1017/exp.2021.6
- (134) Stober, G., A. Kozlovsky, A. Liu, Z. Qiao, M. Tsutsumi, C. Hall, S. Nozawa, M. Lester, E. Belova, J. Kero, P. J. Espy, R. E. Hibbins, and N. Mitchell, Atmospheric tomography using the Nordic Meteor Radar Cluster and Chilean Observation Network De Meteor Radars: network details and 3DVAR retrieval, *Atmospheric Measurement Techniques*, 14, 6509–6532, 2021, <https://doi.org/10.5194/amt-14-6509-2021>

## 2022

- (135) Nanjo, S., S. Nozawa, M. Yamamoto, T. Kawabata, M. G. Johnsen, T. T. Tsuda, and K. Hosokawa, An Automated Auroral Detection System Using Deep Learning: Real-time Operation in Tromsø, Norway, *Scientific Reports*, DOI: 10.1038/s41598-022-11686-8, 2022. (May 31, 2022)  
URL: <https://www.nature.com/articles/s41598-022-11686-8>  
[Press release](https://www.isee.nagoya-u.ac.jp/~nozawa/press_release.html) (visit [https://www.isee.nagoya-u.ac.jp/~nozawa/press\\_release.html](https://www.isee.nagoya-u.ac.jp/~nozawa/press_release.html))
- (136) Yuan Xia, Jing Jiao, Satorori Nozawa, Xuewu Cheng, Jihong Wang, Chunhua Shi, Lifang Du, Yajuan Li, Haoran Zheng, Faquan Li, and Guotao Yang, Significant enhancements of the mesospheric Na layer bottom below 75 km observed by a full-diurnal-cycle lidar at Beijing (40.41°N, 116.01°E), China, *Atmos. Chem. Phys.*, 22, 13817–13831, 2022, <https://doi.org/10.5194/acp-22-13817-2022>, 2022. (Oct 26, 2022)
- (137) Gunter Stober, Alan Liu, Alexander Kozlovsky, Zishun Qiao, Ales Kuchar, Christoph Jacobi, Chris Meek, Diego Janches, Guiping Liu, Masaki Tsutsumi, Njål Gulbrandsen, Satorori Nozawa, Mark Lester, Evgenia Belova, Johan Kero, and Nicholas Mitchell, Meteor Radar vertical wind observation biases and mathematical debiasing strategies including a 3DVAR+DIV algorithm, *Atmos. Meas. Tech.*, 15, 5769–5792, 2022, <https://doi.org/10.5194/amt-15-5769-2022>. (Oct 13, 2022)

## 2023

- (138) Satonori Nozawa, Norihito Saito, Takuya Kawahara, Satoshi Wada, Takuo T. Tsuda, Sakiho Maeda, Toru Takahashi, Hitoshi Fujiwara, Viswanathan Lakshmi Narayanan, Tetsuya Kawabata, and Magnar G. Johnsen, A statistical study of convective and dynamic instabilities in the polar upper mesosphere above Tromsø, EPS, 75:22, <https://doi.org/10.1186/s40623-023-01771-1>, 2023 (Feb 15, 2023)
- (139) Gunter Stober, Alan Liu, Alexander Kozlovsky, Zishun Qiao, Witali Krochin, Gouchun Shi, Masaki Tsutsumi, Nj.l Gulbrandsen, Satonori Nozawa, Mark Lester, Evgenia Belova, Johan Kero, and Nicholas Mitchell, Identifying gravity waves launched by the Hunga Tonga-Hunga Ha'apai volcanic eruption in mesosphere/lower thermosphere winds derived from CONDOR and the Nordic Meteor Radar Cluster, *Annales Geophysicae*, 41, 197-208, <https://doi.org/10.5194/angeo-41-197-2023>, 2023 (Apr 2023)
- (140) Matuura N., R. Fujii, and S. Nozawa, The participation of Japan in the EISCAT Scientific Association, *History of Geo- and Space Sciences*, 14, 61-69, 2023. Special issue: The history of ionospheric radars . <https://hgss.copernicus.org/articles/14/61/2023/> (June 1, 2023)
- (141) Kaoru Sato, Yoshihiro Tomikawa, Masashi Kohma, Ryosuke Yasui, Dai Koshin, Haruka Okui, Shingo Watanabe, Kazuyuki Miyazaki, Masaki Tsutsumi, Damian Murphy, Chris Meek, Yufang Tian, Manfred Ern, Gerd Baumgarten, Jorge L. Chau, Xinzhao Chu, Richard Collins, Patrick J. Espy, Hiroyuki Hashiguchi, Andrew J. Kavanagh, Ralph Latteck, Franz-Josef Lübken, Marco Milla, Satonori Nozawa, Yasunobu Ogawa, Kazuo Shiokawa, M. Joan Alexander, Takuji Nakamura, William E. Ward, Coupling Study by Observations and Modelling (ICSOM): Concept, Campaigns, and Initial Results, *JGR*, 128, 2023.  
First published: 29 May 2023, <https://doi.org/10.1029/2022JD038249>
- (142) Hosokawa, K., S.-I. Oyama, Y. Ogawa, Y. Miyoshi, S. Kurita, M. Teramoto, S. Nozawa, T. Kawabata, Y. Kawamura, Y.-M. Tanaka, H. Miyaoka, R. Kataoka, K. Shiokawa, U. Brändström, E. Turunen, T. Raita, M. G. Johnsen, C. Hall, D. Hampton, Y. Ebihara, Y. Kasahara, S. Matsuda, I. Shinohara, and R. Fujii, A ground-based instrument suite for integrated high-time resolution measurements of pulsating aurora with Arase, *JGR*, accepted, 2023

## **Supplements:**

- (1) Sato, M., Y. Kamide, A. Brekke, and S. Nozawa, The altitude profile of ionospheric currents and conductivities deduced from EISCAT observations, *Proc. NIPR Symp. Upper Atmos. Phys.*, 7 18-25, 1994. (reviewed)
- (2) Pudovkin, M. I., A. Brekke, S. A. Zaitseva, and S. Nozawa, *Third International Conference on Substorms (ICS-3), Versailles, France, 12-17 May 1996, ESA SP-389*, 141-145, 1996.

- (3) Maeda, S., H. Fujiwara, and S. Nozawa, Dayside neutral winds in the quiet E-region deduced from the EISCAT IS radar data, *Proc. NIPR Symp. Upper Atmos. Phys.*, **12**, 138-143, 1998. (reviewed)
- (4) Brekke, A., R. Fujii, Y. Kamide, and S. Nozawa, On the height distribution of auroral E-region currents, eds. S. Kokubun and Y. Kamide, *SUBSTORMS-4, Terra Scientific Publishing Company/ Kluwer Academic Publishers*, pp 67-72, 1998.
- (5) Maeda, S., and S. Nozawa, Meridional Gradients of the Neutral Temperature in the Dayside Summer E-Region, *Advances in Polar Upper Atmos. Res.*, **14**, 128-137, 2000. (reviewed)
- (6) Nozawa, S., H. Iwahashi, T. Tsuda, S. Ohyama, R. Fujii, C. M. Hall, A. Manson, C. Meek, A. Brekke, S. Kawamura, and Y. Murayama, Tides in the polar mesosphere derived from two MF radar measurements at Poker Flat and Tromsø, *Journal of the National Institute of Information and Communications Technology*, **54**, 77-86, 2007.
- (7) Mann, I., and S. Nozawa, EISCAT\_3D Radar for Studies of the Polar Ionosphere and Magnetosphere, *VarSITI Newsletter*, 18, July 2018.
- (8) 和田智之、小川貴代、斎藤徳人、津野克彦、中村卓司、江尻省、野澤悟徳、川端哲也、川原琢也、極地から地球環境を計測するためのライダーの開発、*光技術コンタクト*, **58**, 25-31, 2020 (reviewed)
- (9) 津田卓雄、野澤悟徳、斎藤徳人、川原琢也、川端哲也、高橋 透、和田智之、中村卓司、江尻 省、西山尚典、津野 克彦、阿保 真、共鳴散乱ライダーによる地球超高層領域の金属原子層の観測、*レーザー研究*, **48** 卷 **11** 号, 580-584, 2020.
- (10) 川原琢也、野澤悟徳、斎藤徳人、津田卓雄、川端哲也、和田智之、狭帯域レーザを用いたナトリウムライダーによる中間圏界面の温度・風速計測、*レーザーセンシング学会誌* 第 **3** 卷第 **1** 号 (2022) (reviewed)